

# Maritime Transportation Research & Education Center

### October 2016 – September 2017

martrec.uark.edu

## **MarTREC STAFF**

Heather Nachtmann, Ph.D. University of Arkansas Director

Kevin D. Hall, Ph.D., P.E. University of Arkansas MBTC Executive Director

Amy M. Shell, M.S. University of Arkansas Center Coordinator

Bethany Stich, Ph.D. University of New Orleans Site Director

Feng Wang, Ph.D., P.E. Jackson State University Site Director

Brian Wolshon, Ph.D., P.E., PTOE Louisiana State University Site Director

Craig Philip, Ph.D. Vanderbilt University Site Director

Bruce Wang, Ph.D. Texas A&M University Site Director

Jim Kruse, M.S., MBA Texas A&M Transportation Institute Director, Center for Ports and Waterways

# **CONTACT INFO**

4190 Bell Engineering Center University of Arkansas Fayetteville, Arkansas 72701 Phone: 479.575.6021 Email: martrec@uark.edu

# MarTREC















Cover photo by Heather Nachtmann

### **MESSAGE FROM MarTREC DIRECTOR**



We are thrilled that MarTREC will continue to lead a U.S. Department of Transportation Tier 1 University Transportation Center under the FAST Act and are pleased to announce that Texas A&M Transportation Institute, Texas A&M University, and Vanderbilt University have joined our consortium. The Beyond Traffic 2045 report predicts that imports and exports will double over the next 30 years leading to greater congestion at America's coastal ports, and our existing navigation channels are already helping to avoid 58 million truck trips on the road each year. MarTREC is working to preserve the nation's transportation system through efficient, resilient, and sustainable maritime and multimodal logistics and infrastructure through the research and workforce development efforts of our consortium team. Enjoy reading about our accomplishments this year!

### **TABLE OF CONTENTS**

Message from MarTREC Director	1
MarTREC Overview	2
MarTREC Projects	3
Introduction of New MarTREC Team Members	13
MarTREC Team Achievements	14
MarTREC Student Achievements	15
MarTREC Outreach	16





### Maritime Transportation Research & Education Center

#### ABOUT

MarTREC is a U.S. Department of Transportation Tier 1 University Transportation Center funded through the Office of the Assistant Secretary for Research and Technology. Under MAP-21, MarTREC is building economic competitiveness through efficient, resilient, and sustainable maritime and multimodal transportation systems. MarTREC, through continued funding under the FAST Act, is also working to preserve the Nation's transportation system through efficient, resilient, and sustainable maritime and multimodal logistics and infrastructure.

#### VISION

Our vision is to be recognized as the Nation's premier source for expertise on maritime and multimodal transportation research and education. The MarTREC consortium consists of renowned maritime transportation researchers dedicated to transferrable research and inclusive education and workforce development.

#### CONSORTIUM

Our consortium includes the University of Arkansas (UARK), Jackson State University (JSU), Louisiana State University (LSU), Texas A&M University/Texas A&M Transportation Institute (TAMU/TTI), University of New Orleans (UNO), and Vanderbilt University (VU). Each consortium member is strategically located to support MarTREC's theme: UARK, JSU, LSU, and UNO are located along the Mississippi River; VU along the Cumberland River; and JSU, LSU, UNO, and TAMU/TTI along the Gulf Coast.

#### RESEARCH

MarTREC conducts research activities in three topic areas: 1) Maritime and Multimodal Logistics Management to expand decision support and facilitate improved operations within the Nation's multimodal supply chain networks; 2) Maritime and Multimodal Infrastructure Preservation to advance state-of-the-art resilient multimodal transportation infrastructure preservation, repair, design, and construction; and 3) Disaster Response and Transportation Planning for Coastal and River Valley Communities to enable the resilience, safety, efficiency, and effectiveness of multimodal transportation systems during disaster response or other major events.



### **NEW MarTREC PROJECTS**

#### **Development and Implementation of Sustainable Transportation Resilience Indicators**

Mark Abkowitz, Ph.D. Vanderbilt University June 2017-August 2018 (FAST Act)

Much has been discussed about resilient transportation infrastructure as well as sustainable practices, but only recently have their interdependencies been brought to light in terms of a community's ability to develop sustainable (economic, social and environ- Effect of Swell-Shrink Characteristics on Landslides mental) resource capacity necessary to be resilient in in Yazoo Clay the face of natural hazard events that could lead to Mohammad Sadik Khan, Ph.D., P.E. catastrophic consequences. In order to evaluate Jackson State University whether a community has achieved an acceptable July 2017 - June 2018 level of sustainable transportation resilience, it requires performance indicators that are both relevant Slope failures are frequent in highway embankments and measurable. This project will establish a protocol as well as in waterway infrastructures (levees) on exand method for evaluating a community's level of pansive Yazoo clay in Mississippi which cause signifisustainable transportation resilience.

#### **Economic Impact of the Gulf Intracoastal Waterway** on the States It Serves

Jim Kruse, M.S., M.B.A. David Ellis, Ph.D. **Texas A&M Transportation Institute** September 2017-August 2018 (FAST Act)

An economic impact analysis of the Gulf Intracoastal Supporting Secure and Resilient Inland Waterways: Waterway (GIWW) on the five states it serves (TX, LA, Phase Two MS, AL, and FL) will focus on the economic im- Heather Nachtmann, Ph.D. portance of the GIWW to the various states and as- Justin Chimka, Ph.D. sume only sufficient investment to maintain current University of Arkansas system performance. The underlying methodology July 2017-June 2018 will evaluate what an abandonment (or closure) of the canal would mean in terms of economic impact. It Unexpected disruptions to the inland waterway syswill compare the transportation and related supply- tem due to natural disasters, vessel accidents, or terchain costs faced by current waterway users to the rorist attacks can cause non-navigable water levels or costs they would face if the GIWW were to become destroy major navigation infrastructures, resulting in permanently unavailable and they had to use the closures of the inland waterway. We are extending next best transportation alternative.



cant maintenance problems and require millions of state and federal dollars to fix it. After construction. the strength of the high plastic clay degrades with time due to the seasonal temperature and moisture variation, which is one of the major factor of slope failure. The research will investigate the repeated drop in the shear strength of the Yazoo clay soil with wet-dry cycles which cause slope failure.

our current Phase One project by expanding our current model to consider uncertainty into the decision. Future commodities transported, barge traffic, and water and land capacities are all unknown parameters that will be considered.

### **ONGOING MarTREC PROJECTS**

Climate Impacts on Lock Use and Performance

Justin Chimka, Ph.D. University of Arkansas July 2016-June 2018

(USACE) to integrate climate change preparedness has been created and is being tested for pre-stress and resilience planning and actions in all activities for loss, surface preparation requirements, and prethe purpose of enhancing the resilience of our built stress application. In addition, high-fidelity finite eleand natural water-resource infrastructure (USACE Cli- ment simulations of the installed retrofit were conmate Preparedness and Resilience Policy Statement ducted to evaluate pre-stressing formulas developed 2014). Inland waterways may experience greater during earlier project reporting periods. Preliminary floods due to changing land-use patterns and precipi- analyses indicate an extension in fatigue life of aptation, drought can lower vessel drafts, and less ice proximately 10 years using the retrofit strategies. on navigable waterways could increase seasonal windows for passage. The objective of this work is to integrate resilience planning and climate change preparedness for water-resource infrastructure. New datasets have been created by collecting relevant online climate data and matching them to existing lock unavailability data and newly created spatial lag variables which allow us to begin exploring statistical models of lock unavailability as a function of climate data and spatial lags, for different measures of unavailability and different waterways (AR, IL, MS, OH).

#### **Corrosion-Tolerant Pre-Stressed CFRP Fatigue Retrofits for Improved Waterway Lock Reliability**

Gary Prinz, Ph.D., P.E. Clint Wood, Ph.D., P.E. University of Arkansas July 2016-June 2018

Retrofits for improved waterway lock reliability are The maritime and multimodal system is an integral essential to waterway transport for many river and canal systems, allowing passage of ships through areas of differing water elevation. Over 23M cargo tons maritime and multimodal transportation infrastrucpassed USACE locks in January 2015 alone, and doz- ture, which are often subjected to shallow landslides ens of locks aid water transport throughout AR, LA, due to the existence of expansive clay soil. As a cost and MS. These locks typically consist of large steel effective alternative, Recycled Plastic Pins can be utigates that are subject to large alternating forces as lized to stabilize shallow slope failures, to offer a suswater levels are changed, and as lock gates open/ tainable option and increase the economic competiclose. Repeated loads, corrosive waterway environ- tiveness to maintain multimodal transportation inframents, and component geometry can all contribute structure.

to fatigue/fracture issues that can limit lock gate service and inhibit the overall reliability of waterway transport. The project addresses fatigue issues within lock gates, identifying critical components and exploring methods for preventing fatigue cracks for the en-It is the policy of U.S. Army Corps of Engineers tire gate component service life. A prototype retrofit



**Development of a Design Protocol:** Sustainable Stabilization of Slope using **Recycled Plastic Pin in Mississippi** Sadik Khan, Ph.D., P.E. Jackson State University May 2016-October 2017

part of the efficient movement of the nation's freight. Slopes and embankments are a major component of

### **Evaluating the Performance of Intermodal** Connectors

Sarah Hernandez, Ph.D. University of Arkansas August 2016-June 2018

This project focuses on evaluating the performance of Intermodal Connectors (IC)- critical "last mile" roadways connecting intermodal freight facilities such as maritime ports to the National Highway System (NHS). ICs account for less than 1% of NHS mileage, but are critical for timely and efficient multimodal freight movements. ICs are currently not well monitored or understood and are frequently missing from statewide planning, programming, and forecasting models. ICs are in relatively poor condition compared to the NHS as a whole. This has cascading effects on the reliability of multimodal freight operations- a 1or 2-hour delay in a drayage movement can result in a 24-hour holdup in a domestic multimodal shipment. Supporting Secure and Resilient Inland Waterways We have made progress on sensor development. Cur- Heather Nachtmann, Ph.D. rently our Lidar based sensor accurately measures Justin Chimka, Ph.D. vehicle speed and length (i.e. effective vehicle University of Arkansas length), and traffic volume. The sensor is bundled August 2014-October 2017 with a low-cost video camera.

#### Quantifying Resiliency of Maritime Transportation Systems

Brian Wolshon, Ph.D., P.E., PTOE Louisiana State University October 2015-May 2018

lowing disruptive events. As part of this effort, archiv- distance approach. We are currently extending our baseline of channel operations under "routine" non- order to provide timely knowledge and awareness of event conditions. Observed losses in system function- what cargoes should be prioritized for offloading durdependent performance analysis. This type of analy- tential attacks or natural disasters against inland wasis is critical when investigating the efficacy of the re- terway transportation systems. We have formulated covery process protocols and management strategies and tested a linearized version of the CPTAP model measuring commercial port resiliency. The methods cision support for maritime transportation users. developed can be used for future studies of post-

disaster operations and protocols, such as evaluations of channel operations after a disruption to better understand characteristics that increase resiliency.



To mitigate inland waterway disruption impacts, we developed the cargo prioritization and terminal allocation problem (CPTAP) to minimize the total value loss of disrupted barge cargoes. The final solution identifies an accessible alternative terminal for each disrupted barge and the prioritized offload turn that each barge takes at its assigned terminal. Implemen-This research leverages and adapts archival NAIS data tation of CPTAP results reduced cargo value loss and for resilience analyses of coastal port operations fol- response time when compared to a naïve minimize al vessel position reports will be used to establish a earlier work through CPTAP model enhancement in ality following a major disruption will be used to ing disruption response and what infrastructure exquantify the resiliency of the waterway using time hibits low resiliency in terms of modal capacity to poemployed in the days and weeks that follow a major which shows result improvements compared to our disruptive event. The primary contribution of this re- initial approach. Our ongoing work has improved this search is creating a systematic, objective means of new solution approach with the goal of enhanced de-

### COMPLETED MarTREC PROJECTS

#### **Multimodal Transport and TransLoad Facilities** in Arkansas

Justin R. Chimka, Ph.D. University of Arkansas July 2014-December 2014

National priorities include building a clean and efficient 21st century transportation sector, and multimodal transportation is one of five Transportation System Efficiency strategies at the U.S. Department of Energy. However, additional multimodal transport may require added transload facilities where freight is moved from truck to railcar or vice versa. Greater than 550 short line and regional railroads operating in 49 states account for almost 30% of the U.S. rail net- of high-risk locations and, even more valuably, to kansas, research finds the state may be poised to same locations. These significant and consistent relatransload facilities.

#### **Identifying High-Risk Roadways for Infrastructure Investment Using Naturalistic Driving Data**

Brian Wolshon, Ph.D., P.E., PTOE Louisiana State University October 2013-June 2015

The state-of-the-practice for most municipal traffic July 2014-June 2015 agencies seeking to identify high-risk road segments has been to use prior crash history. While historic Brain damage from stroke can affect physical mobilitraffic crash data is recognized to be valuable in im- ty, sensorimotor, cognition, communication, visual proving roadway safety, it relies on prior observation perception, and visual processing which are all critical rather than future crash likelihood. Recently, howev- processes needed for driving. A recent study that er, researchers are developing predictive crash meth- tested road sign interpretation tasks among groups of ods based on "abnormal driving events." These in- healthy and poststroke older drivers assessed the efclude abrupt and atypical vehicle movements thought fects of poststroke aphasia on driving. Results to be indicative of crash avoidance maneuvers and/or showed that aphasia significantly impacted accuracy near-crashes. Because these types of near-crash and response time of road sign interpretation. As lanevents occur far more frequent than actual crashes, it guage and symbol complexity increased on road is hypothesized that they can be used as an indicator signs, the aphasia-affected drivers performed with



Photo courtesy of ARDOT

work. These small businesses compete and cooperate identify where crashes are likely to occur in the fuwith trucking interests to cost-efficiently connect lo- ture. Statistical analyses revealed that clusters of high cal economies with the larger Class I railroad system. magnitude jerk events while decelerating were signif-With three Class I railroads and 24 short lines in Ar- icantly correlated to long-term crash rates at these ease state highway congestion, safeguard the envi- tionships between jerks and crashes suggest that ronment, and support local economies by adding these events can be used as surrogate measures of safety and as a way of predicting safety problems before even a single crash has occurred.

#### **Road Sign Recognition during Computer Testing** versus Driving Simulator Performance for Stroke and Stroke+Aphasia Groups

Neila J. Donovan, Ph.D. Louisiana State University

less accuracy and required more time. Findings sug- Regional Economic Impact Study of the McClellangest further research may show implications for the Kerr Arkansas River Navigation System design of road signs and decision making for Heather Nachtmann, Ph.D. healthcare professionals regarding poststroke pa- University of Arkansas tients.

#### **Development of a Large-Scale Traffic Simulation** Model for Hurricane Evacuation of Mississippi **Coastal Region**

Feng Wang, Ph.D., P.E. Jackson State University July 2014-July 2015

improved traffic flow assignment with a minimization er Energy Generation, 2) USACE O&M Expenditures, of the total travel cost in a localized no-notice evacu- 3) Private Sector Investment Expenditures, 4) Port ation network. In this study, we made the following Activities, 5) Shippers' Activities, 6) Transportation observations: (1) numerical results show that the im- Cost Savings, and 7) Recreation Benefits. We complementation of a gate control strategy could effec- bined our analysis with a 2014 Oklahoma Department trip routes, (2) experimental results show that in a no total economic impacts of the MKARNS nationwide -notice or short notice evacuation, the number of are \$8.5 billion in sales, \$4.3 billion in gross domestic nodes selected for a gating strategy may also impact product (GDP), and \$2.5 billion in labor income. In the evacuation performance, and (3) traffic simula- addition, 55,872 jobs are created due to the activities tions of an evacuation scenario with a large scale net- related to the MKARNS. Port Activities are the largest work show that applying the gate control strategy component of the total economic impacts of the could improve evacuation performance.



April 2014 - August 2015

In this research, funded by the Arkansas Department of Transportation as a MarTREC match project, we implemented a multiregional social accounting matrix framework to estimate the economic impacts of the McClellan-Kerr Arkansas River Navigation System (MKARNS) activities on the study regions of AR, OK, KS, MO, TX, and the rest of the United States. Our This study developed an optimization model to obtain study considers economic impacts from 1) Hydropowtively decrease the total travel cost and reduce the of Transportation study led by Dr. Dennis Robinson of degree of conflicts related to traffic movements and University of Arkansas - Little Rock and found that the MKARNS followed by Shippers' Activities and Transportation Cost Savings.

> LNG Bunkering for Marine Vessels at the Port of **New Orleans: Siting and Facility Components** Bethany Stich, Ph.D. James R. Amdal, Sr. University of New Orleans April 2014-January 2016

The team was approached by the Port of New Orleans in 2014 to develop an assessment of best practices regarding the construction of shore-side Liquefied Natural Gas (LNG) bunkering facilities and the overall feasibility of the LNG fueling facility. When this request was made, the maritime industry was expected to convert their fleets from diesel to LNG, due to fuel cost savings and in compliance with planned environmental regulations. However, when OPEC began dra-

matically decreasing the price of crude oil in the mid- percent vessels delayed. Unavailability data includes 2010s, these cost incentives ceased to exist, especial- scheduled and unscheduled lock unavailabilities, and ly the economic factor. The best recommendation unavailable times. Estimation required consolidation that can be made from this research is for the Port of and statistical models of Lock Use, Performance, and New Orleans to join with the International Chamber Characteristics published by the USACE Navigation of Shipping in encouraging the International Maritime Data Center. Results include effects of lock usage and Organization (IMO) division of the United Nations to unavailability on tons locked by commodity group continue taking the lead in globally-applied emissions (coal, petroleum, chemicals, crude materials, primary standards. Therefore the Port is best advised to ag- manufactured goods, food, and manufactured equipgressively support an IMO-derived driven global im- ment). Twenty-two out of the 42 datasets resulted in plementation of policies which would make this fleet at least one useful subset where we could employ our conversion ultimately more cost effective than con- alternative to stepwise regression to find a linear tinued reliance upon cheap diesel as a marine fuel.



**Economic Impacts of Lock Usage and Unavailability** Justin R. Chimka, Ph.D. University of Arkansas August 2014-June 2016

for transportation policy decisions, and national eco- vative additives to Open Graded Friction Courses to nomic benefits of maritime transport necessitate im- create a new material that has high heavy metal reproving inland waterways infrastructure. This work moval capacities. The results of this study bring an included consolidating and learning from Lock Use, important conclusion that not only can the pervious Performance, and Characteristics data collected by concrete pavement bring traffic-related benefits but the USACE and published by the Navigation Data Cen- also environmental benefits because of its long-term ter. The research objective is to estimate annual tons removal capacities for Cu and Zn, which are the major locked by commodity group and lock, as a function of heavy metal contaminants in roadway runoffs. The lock usage and unavailability (1993-2013). Usage data use of PCP in roadways and parking lots brings posiincludes average delay and processing time, barges tive impacts for the sake of environmental protecempty and loaded, flotillas and vessels, lockages, and tion.

model which is efficient and practically appropriate according to our definitions of those characteristics.

#### **Exploration of Novel Multifunctional Open Graded** Friction Courses for In-situ Highway Runoff Treatment

Yadong Li, Ph.D., P.E. Lin Li, Ph.D., P.E. Jackson State University July 2014-June 2016

Pollutants on roadways and parking lots can come from various sources. Storm water runoffs from roadways contain both organic and inorganic contaminants of which large portions are eventually conveyed to the nearby water bodies such as rivers and lakes. Copper (Cu) and Zinc (Zn) have been identified to be the major inorganic contaminants in roadway runoffs. The goal of this study was to examine the removal of the major heavy metals Cu and Zn in roadway runoffs through pervious concrete pavement Freight statistics should provide an objective baseline (PCP) and Modified PCP (MPCP) and by adding inno-

#### In-Situ Monitoring and Assessment of Post Barge-Bridge Collision Damage for Minimizing Traffic Delay and Detour

Wei Zheng, Ph.D., P.E. Jackson State University July 2014-June 2016

Piers of bridges across major navigation waterways frequently suffer from barge collisions, resulting in the closure of both bridges and waterways to traffic for assessing the potential damage. This project developed an efficient in-situ monitoring and data processing scheme for assisting bridge professionals to reliably assess the barge-bridge collision damage and make prompt and informative decision on the operation the bridge and navigation waterways. Once a barge-bridge collision event happens, field dynamic dredge-specific fashion. The impact of the implemenmeasurements can be collected from the collided tations can measured quantitatively. Of equal imbridge structure with the sensor network. The best portance is the impact of this work on the future of feature vectors were extracted and input into the decision analysis within USACE. After initial success best classification models of each of the trained clas- with the base model, maritime professionals were sifiers. With the identified threshold of each classifier, intrigued by the use of operations research to aid in the prediction probability of the damage locating in their decision process. The potential of the initial tool each of the sub-regions were determined.

#### **Optimal Dredge Fleet Scheduling within Environmental Work Windows**

Chase Rainwater, Ph.D. Heather Nachtmann, Ph.D. University of Arkansas August 2014-August 2016

projects through its fleet of government dredges and Chase Rainwater, Ph.D. individual contracts with private industry. This project Heather Nachtmann, Ph.D. examined the decision of allocating dredge resources University of Arkansas to projects system-wide under necessary constraints August 2016-August 2017 including environmental restrictions concerning when dredging can take place due to migration patterns of Oversight of dredging operations is a challenging turtles, birds, fish, and other wildlife, dredge equip- problem because a decision-maker must (i) choose ment resource availability, and varying equipment from numerous potential locations that are in need of productivity rates that affect project completion dredging and (ii) schedule selected jobs within allowtimes. We expanded optimization tools to allow for able environmental windows. In its simplest form, multiple dredge resources to work on a single job, this series of decisions can be broken into two probresources that dredge in non-consecutive intervals lems: (1) job selection problem and (2) job scheduling



was met with concern over the fact that many realistic components were not considered. The main impact of the project is that every concern presented by USACE has now been addressed from a modeling perspective. The decision makers understand that optimization tools can be flexible and extendable and, with the appropriate amount of attention, complex challenges can be modeled.

The USACE annually dredges hundreds of navigation Optimal Dredge Fleet Scheduling - Phase 2 Research

and environmental windows to be enforced in a problem. Prior research projects supported by Mar-

TREC, a dredge scheduling methodology has already and manages data through spreadsheets; calculates been integrated into USACE computing systems. Pre- expected delivery cost; and gives several resources to vious work assumes that the decision-maker has been support decision making. provided a preselected set of jobs for scheduling consideration. A quantitative system for comprehensive Efficient Dredging Strategies for Improving consideration of dredge job selection does not exist. Transportation Infrastructure Resilience The failure to integrate the selection and scheduling Kelly Sullivan, Ph.D. process suggests that opportunity exists for signifi- University of Arkansas cant financial and operational benefits for transporta- August 2014-December 2016 tion planners. This research has adapted new quantitative tools that address this need by leveraging the The viability of the inland marine transportation sysexpertise developed in this area by the team of inves- tem is dependent upon highly random processes intigators.

#### Dynamic Decision Modeling for Inland Waterway Disruptions

Shengfan Zhang, Ph.D. Heather Nachtmann, Ph.D. University of Arkansas August 2014-December 2016

There is much uncertainty associated with inland wa- Hazards in Coastal Communities terway transportation. Natural or man-made disrup- John Pardue, Ph.D., P.E. tion on the inland waterway system can have wide- Louisiana State University spread economic and societal impacts, and their con- May 2015-December 2016 sequences can be significant. In our research, we developed the framework of the decision making pro- Coastal communities are vulnerable to disruptions in cess and devised the supporting tool for practitioner. fuel availability for their transportation networks due The framework provides structural justification of the to their susceptibility to flooding and storm surge decision making model and fundamental motivation events. Fueling station design criteria do not change of the development. It shows the sequential proce- in coastal communities and supply chains rely on road dure of decision making and elements of each stage networks that lack the redundancy present in more including specific techniques and tools applied. The inland areas. This study examined fuel distribution



Photo courtesy of ARDOT

cluding weather, shoaling, and lock degradation. This project, seeks to determine efficient uses of maintenance dollars. Results demonstrate the tradeoff between investment in maintenance dredging and both the network's overall capacity for transporting commodities and risk associated with having insufficient budget to complete emergency projects.

# **Vulnerability of Fuel Distribution Systems to**

decision making support tool was developed. It reads disruptions from past storms and the time for restoration of fuel availability after coastal hazard events. We developed extensive network model of coastal Louisiana communities capturing roads, fueling stations, and bulk terminals. The combined fueling station and road network constructed for this project is the first spatial representation of this system for a Louisiana coastal parish. We presented the network to the state's Supply Chain / Transportation Council. This organization was formed after the catastrophic floods of 2016 to better prepare the state's transportations network, and by extension, other critical infrastructure systems, from failure during these events.

#### Quantification of Multimodal Transportation Network Vulnerability: A Pilot Study in Mississippi

Himangshu Das, Ph.D., P.E. Jackson State University May 2016-April 2017

We developed a conceptual quantitative framework and database identifying critical transportation infra- Coastal and river valley communities are particularly structure and its vulnerability to natural hazards using vulnerable to catastrophic events due to their proximexisting data and modeling while incorporating ity to large bodies of water. A robust and resilient downscaled climate scenario specific to the Mississip- transportation system is therefore imperative in pi Gulf Coast. It is recommended that the current in- these communities to mitigate the added risk of flash ventory database should be supplemented with other flooding, hurricanes, storm surge, and sea-level-rise. critical transportation assets managed by state and The findings of this research demonstrate the applicametropolitan planning organizations. This enhanced tion of a novel performance and computational techdatabase will be helpful to explore future vulnerabil- nique to assess the operation of traffic networks, sysity and sustainability of multimodal transportation tem-wide, independent of their size or duration of and infrastructure network under a wide variety of analysis. This technique is ideal for evacuation planhazard conditions. Inventory of critical transportation ning and alternative comparison in megaregions. By infrastructures that have already been developed estimating a function for "network productivity," must be linked into a network algorithm. Response emergency management and transportation decisionand recovery of the disturbed networks were quanti- makers can use "trip completion" as a measure of fied through what-if scenarios.



#### **Evaluating Coastal and River Valley Communities Evacuation Network Performance Using Macroscopic Productivity** Scott Parr, Ph.D., E.I.T. Louisiana State University

May 2015-April 2017

evacuee departures out of a threat area. This permits a systematic and qualitative basis for assessing evacuee demand management measures that can improve regional mass evacuations.

#### **Innovative Bio-Mediated Particulate Materials for** Sustainable Maritime Transportation Infrastructure Lin Li, Ph.D., P.E. Jackson State University November 2015-June 2017

The results of this study show that microbial induced calcite precipitation (MICP) treated material was weak at wet-dry durability and freeze-thaw durability. MICP-treated beach sand material was better at resisting these two weather conditions possibly because of its irregular shaped particles. The use of fiber or multiple treatments during the MICP treatment can provide resistance to the weathered deteriorations of MICP-treated soil. The MICP treatment establishes a cost-effective and in situ improvement of the engineering properties of sandy soils in coastal area for maritime transportation infrastructure construction.

#### Measurement of Traffic Network Vulnerability for **Mississippi Coastal Region**

Feng Wang, Ph.D., P.E. Jackson State University November 2015-July 2017

and property damage. This project studied the vul- a high water event. nerability of the coastal transportation network. The study show that evacuees are more prone to taking Statistical Analysis of Vehicle Crashes in Mississippi flooding risks in selecting evacuation routes as they Based on Crash Data from 2010 to 2014 are more sensitive to the travel time or cost on the Feng Wang, Ph.D., P.E. routes. On the other hand, the total travel time or Jackson State University cost in all the links of the evacuation paths shows an November 2015-July 2017 increasing trend along with the increase of the impact factor on flooding risk, which means the evacuees are The current traffic safety situation in Mississippi has tion network has a high degree of criticality.

#### **Rapid and Non-Destructive Assessment of Levees** for Strength and Liquefaction Resistance

Clinton Wood, Ph.D., P.E. Michelle Bernhardt, Ph.D. University of Arkansas January 2015-June 2017

This research developed a rapid, non-destructive geo- University of New Orleans physical testing program and probabilistic framework October 2013-September 2017 that can be used to proactively evaluate levclose to saturation, the effect of density or water become TODs over the next several decades. quality on resistivity diminishes which makes the task

of identifying soil type easier. It was observed that an estimate of the degree of saturation in conjunction with electrical resistivity offers the best estimate of soil type. The methods were shown to be capable of detecting many common defects in levees and earthen dams including the location of soft layers, old river Hurricanes are one of the most catastrophic events meanders, inclusions or utilities, and internal erosion, resulting in severe consequences including loss of life any of which could lead to failure of the levee during

more willing to take detours in selecting less risky been of great concern. The Mississippi Department of evacuation routes as they are more sensitive to the Transportation crash dataset shows that more than flooding risk on the links and routes. The analysis of 640,000 traffic crashes on Mississippi highways were the evacuation network in Mississippi coast area us- recorded over the period from May 2010 to February ing the proposed method suggests that links near the 2014. The analyses showed that the frequencies of evacuation destinations tend to be more critical, and vehicle crashes in a metropolitan area are relatively important traffic corridors such as I-10 in the evacua- high and the severities of crashes in the rural and coastal areas are relatively high. The crash distribution in MDOT maintenance districts shows that high crash severity is not correlated with high population density in a metropolitan area.

#### National Inventory and Analysis of Transit Oriented **Development in Proximity to Coasts and Port Facilities**

John L. Renne, Ph.D., AICP

ees. There is a clear correlation between resistivity There is often a tension between the development of and the degree of saturation and bulk density of a mixed-use transit oriented developments and heavy soil. An increase in either parameter is associated industry near coastal areas and major rivers and near with a decrease in electrical resistivity. The resistivity port facilities. This study quantified and examined the values were found to be highly dependent on the de- number of jobs and residents in station areas near gree of saturation up to approximately 60%, at which coastal areas, major rivers and near port facilities point increasing saturation does not result in signifi- across the U.S. and forecasts future development and cantly different resistivity values. When the soil is job potential of underbuilt station areas, which could

### **INTRODUCTION OF NEW MarTREC TEAM MEMBERS**



**Craig Philip** is a Research Professor of Civil and Environmental Engineering at Vanderbilt University, and Director of Vanderbilt's Center for Transportation Research (VECTOR). Dr. Philip's research focus includes infrastructure resilience and the application of risk management tools to public policymaking, management and sustainability of transportation networks and operations, carrier safety management and regulations, and balancing multi-stakeholder interests. Dr. Philip spent more than 35 years with companies in the rail, intermodal and maritime industries. He joined Ingram in 1982 and from 1999 until 2014, he served as President/CEO of Ingram Barge Company as it grew to become the largest American marine transportation carrier.



**Hiba Baroud** is an Assistant Professor in the Department of Civil and Environmental Engineering at Vanderbilt University. Her work explores data analytics and statistical methods to measure and analyze the risk, reliability, and resilience in critical infrastructure systems. In particular, she has studied data-driven Bayesian methods to predict the occurrence of disruptive events in infrastructure systems and stochastically model the recovery process of the physically disrupted system as well as other interdependent and indirectly impacted systems. Dr. Baroud also developed decision analysis tools to assess different preparedness and recovery investment strategies for the protection of civil infrastructures.



**Bruce Wang** is an Associate Professor with the Zachry Department of Civil Engineering at Texas A&M University. He obtained his Ph.D. from the University of California, Irvine. Dr. Wang actively conducts freight research, is past chair of the Transportation Research Board (TRB) Freight Planning and Logistics Committee, and serves as the current chair of its subcommittee for Freight Modeling. He has conducted a number of freight projects funded by the federal Department of Energy, Department of Transportation, and TRB. His research is mainly about applying operations research to transportation.



Jim Kruse is the Director of the Center for Ports and Waterways at the Texas A&M Transportation Institute (TTI). He is responsible for identifying research and extension needs in the port community and mobilizing resources to meet those needs. Mr. Kruse served in a senior executive capacity for nine years at the Port of Brownsville, Texas (1988-1997), eight years as port director. Following his service at the Port of Brownsville, he worked as a Regional Program Manager for Foster Wheeler Environmental's Ports Harbors & Waterways Program and assisted on port-related projects around the country.

### **MarTREC TEAM ACHIEVEMENTS**



Jim Kruse, MarTREC director Heather Nachtmann, and Craig Philip were selected by the Transportation Research Board Executive Committee with approval of the Chairman of the National Research Council to serve as members of the Marine Transportation System Research and Technology Conference to be held June 19-21 in Washington, D.C. The ad hoc committee will organize a conference to disseminate and discuss the results of current research, practitioner experiences and future challenges associated with the U.S. marine transportation system. The conference will seek to identify research needs, gaps and potential technology gains related to harnessing robust, integrated, high fidelity multimodal freight transportation modeling and data sets.

**Carol Short**, Associate Director of the University of New Orleans Transportation Institute (UNOTI), was named Member of the Year from the greater New Orleans chapter of the Women in Transportation Seminar (WTS). Short's Member of the Year Award honors a chapter member who has promoted the reputation of WTS within the transportation community. In addition to serving as associate director of UNOTI, Short is co-author and administrator of University of New Orleans Master of Science in Transportation degree program. She has extensive experience in the maritime industry and serves as the institute's liaison to that community.





**Brian Wolshon**, LSU MarTREC site director, was interviewed by several media outlets during the 2017 hurricane season including CNN, Discovery Channel, and The New York Times. Wolshon who designs evacuation plans explained the challenge of planning for metropolitan transit system disruptions, "Planners will often open all lanes on a road or highway to outbound traffic to ease congestion, but you can't do that with the Overseas Highway." He added that "emergency managers worry about situations like someone having a heart attack and medical crews unable to respond" due to disruptions in the transportation system.

### DAN FLOWERS DISTINGUISHED LECTURE



On November 17, 2016, **Craig Philip** visited the University of Arkansas campus to deliver our Fall 2016 Dan Flowers Distinguished Lecture. Philip is retired President/CEO of Ingram Barge Company and is now a Research Professor of Civil and Environmental Engineering and MarTREC site director at Vanderbilt University. His lecture topic focused on logistics and supply chains in the 21st century and how transportation researchers and practitioners can support the future demands of our Nation's transportation system. The series is named in honor of retired ARDOT director Dan Flowers.

## **MarTREC STUDENT ACHIEVEMENTS**



**Tim Moody,** MarTREC's **2016 UTC Outstanding Student of the Year**, was presented his award at the Annual Transportation Research Board Meeting in Washington D.C. in January 2017. Moody's award winning work supports Mar-TREC research project, *Rapid and Non-destructive Evaluation of Levees Using Geophysical Methods*.

Moody received his bachelor's degree in Civil Engineering from the University of Arkansas in 2015 and is currently a Civil Engineering Master's student at the University of Arkansas under the supervision of Dr. Clint Wood, Assistant Professor of Civil Engineering.

In June 2017, **Christine Lozano**, Civil Engineering Master's student at the University of Arkansas, presented her research to a panel at the U.S. Army Corps of Engineers (USACE) in Vicksburg, Mississippi.

Lozano was invited to present to the USACE because of their interest in her MarTREC research project, *Corrosion-Tolerant Pre-Stressed CFRP Fatigue Retrofits for Improved Waterway Lock Reliability* under the supervision of Dr. Gary Prinz, Assistant Professor Civil Engineering. Subsequently Lozano was offered a job with the USACE and will begin her career with the Corps following her graduation in December 2017.





Jackson State University students presented at the 2017 Southeast Symposium on Contemporary Engineering Topics (SSCET) held at the University of New Orleans this September. The students made presentations on two MarTREC research projects, *Characteristics and Factors of Traffic Crashes in Mississippi* and *Hurricane Surge Vulnerability Study of US Highway 90 along Mississippi Gulf Coastline*.

From left to right: **Xiaohua Luo** (Ph.D student) **Haitao Gong** (Ph.D student), **Dr. Feng Wang** (MarTREC Site Director at JSU), and **Lei Bu** (Ph.D student).

In September 2017, **Ian Severson**, Master's student in Transportation Planning at the University of New Orleans presented a poster at the Smart Rivers conference in Pittsburgh, PA. His poster was on *Liquefied Natural Gas (LNG) Export Competition in a Well Supplied Flow Shifting Global Economy* based on MarTREC research led by Dr. Bethany Stich, MarTREC Site Director at UNO.



### **MarTREC OUTREACH**



#### 2017 MarTREC Summer Research Intern

**Nuri Omolara,** a bioengineering Undergraduate student from North Carolina Agricultural & Technical State University in Greensboro, NC, spent her summer completing a research internship at the University of Arkansas. In 2016, Omolara visited the campus to participate in the AIM (Attracting Intelligent Minds) Conference. This visit led her to coming back the following year to be MarTREC's summer research intern. Omolara is interested in a Master's degree in Industrial Engineering. Her research internship was supervised by Dr. Justin Chimka, Associate Professor of Industrial Engineering and supported MarTREC project, *Climate Impacts on Lock Use and Performance*.

#### University of New Orleans Transportation Institute Partners with Son of a Saint



The University of New Orleans Transportation Institute conducted its National Summer Transportation Institute in July 2017 for a group of 14 young men who spent the day visiting transportation hubs around New Orleans. The summer institute was funded by the Federal Highway Administration to promote awareness of educational and career opportunities among disadvantaged and at-risk youth.

#### **MATH Circle Summer Enrichment Program**

In June 2017, LSU and Dr. Brian Wolshon (MarTREC LSU Site Director) hosted the LSU Math Circle summer enrichment program, a four-week summer program at LSU geared toward rising 9th-12th graders interested in investigating concepts in mathematics that are not usually introduced at the high school level.



# GirlTREC



MarTREC hosted thirty-five fifth and sixth grade girls in July at our new GirlTREC summer camp. The camp focused on hands-on activities related to transportation engineering from roads to rail to waterways and was designed to build courage and interest towards studying STEM fields and considering a career in the transportation industry.

Our interactive activities were taught by faculty from the University of Arkansas' civil and industrial engineering departments. Activities included learning about abutment design in bridge construction with Dr. Michelle Bernhardt, examining social media data during a disaster response with Dr. Ashlea Milburn, designing traffic control systems with Dr. Sarah Hernandez, handling risk and uncertainty with Dr. Sarah Nurre and Dr. Shengfan Zhang, examining lock and dam operations with Dr. Heather Nachtmann, and structural design analysis with Dr. Gary Prinz.

The students also took a field trip to Ozark-Jetta Taylor Lock and Dam #12. Guided by Lock Master Kevin Dunn, the girls learned about water safety, how the lock allows the vessels to pass through, and the economics behind barge travel. The campers even got to ride on an opening lock gate!

