

Maritime Transportation Research & Education Center

October 2017 - September 2018



### MESSAGE FROM MarTREC DIRECTOR



As you will read in this annual report, MarTREC had a great year. We have research projects actively contributing across the Nation. Four of our MarTREC researchers received National Science Foundation (NSF)CAREER awards in 2018, which is NSF's most prestigious early-career grant. Eight of our student researchers received Dwight David Eisenhower Transportation Fellowships this year, indicating the future of our transportation workforce is bright. All of our faculty and student researchers are dedicated to transferring our research into practice. The MarTREC consortium is extensively networked through existing stakeholder partnerships and dedicated to implementable research. Established and new partnerships are essential to effective technology transfer of research outputs, educational resources, and workforce development programs. I hope you enjoy this year's report.

#### **TABLE OF CONTENTS**

Message from MarTREC Director	1
Overview	2
Workforce Development	3
Outreach	4
Student Achievements	5
Distinguished Lecture Series	8
2018 NSF CAREER Awardees	9
New Projects	10
Ongoing Projects	14
Completed Projects	15





#### **ABOUT**

MarTREC is a U.S. Department of Transportation Tier 1 University Transportation Center funded through the Office of the Assistant Secretary for Research and Technology. Under MAP-21, MarTREC built economic competitiveness through efficient, resilient, and sustainable maritime and multimodal transportation systems. MarTREC, through continued funding under the FAST Act, is working to preserve the Nation's transportation system through efficient, resilient, and sustainable maritime and multimodal logistics and infrastructure.

#### **VISION**


Our vision is to be recognized as the Nation's premier source for expertise on maritime and multimodal transportation research and education. The MarTREC consortium consists of renowned maritime transportation researchers dedicated to transferrable research and inclusive education and workforce development.

#### **CONSORTIUM**

Our consortium includes the University of Arkansas (UARK), Jackson State University (JSU), Louisiana State University (LSU), Texas A&M University/Texas A&M Transportation Institute (TAMU/TTI), University of New Orleans (UNO), and Vanderbilt University (VU). Each consortium member is strategically located to support MarTREC's theme: UARK, JSU, LSU, and UNO are located along the Mississippi River; VU along the Cumberland River; and JSU, LSU, UNO, and TAMU/TTI along the Gulf Coast.

#### **RESEARCH**

MarTREC conducts research activities in three topic areas: 1) Maritime and Multimodal Logistics Management to expand decision support and facilitate improved operations within the Nation's multimodal supply chain networks; 2) Maritime and Multimodal Infrastructure Preservation to advance state-of-the-art resilient multimodal transportation infrastructure preservation, repair, design, and construction; and 3) Disaster Response and Transportation Planning for Coastal and River Valley Communities to enable the resilience, safety, efficiency, and effectiveness of multimodal transportation systems during disaster response or other major events.



# WORKFORCE DEVELOPMENT CENTER FOR TRAINING TRANSPORTATION PROFESSIONALS



Frances Griffith, Stacy Williams, Roselie Conley, Mary Fleck, Talley Faulkner, Katie Juniel, Austin Williams.

Things remain busy at the Center for Training Transportation Professionals (CTTP). To date, 31 classes have been completed in 2018, with expectations to exceed last year's record-setting total of 43 classes. This level of training needs is indicative of the increased activity in the state's construction industry, which is also apparent to the traveling public. The National Pollutant Discharge Elimination System (NPDES) course requests have also increased in response to a requirement for contractor certification in this topic. Courses have been taught in Fayetteville and Little Rock to meet the additional demand, allowing contractors to meet the October 1 certification deadline. Laboratory certification requests also continue to grow, with four new labs enrolling so far this year. Currently, there are 104 laboratories participating in the program.

Online training usage has strengthened, particularly as a study aid for those attending CTTP training courses. Online training modules have been updated and additional study materials have been added to the website. These online training modules have gained national attention, and are being used in a number of states as a training aid for both state and local agencies. In addition, CTTP has begun work to incorporate the use of video footage for use in both classroom and online instructional materials.

CTTP has also been very active with the Technology Transfer (T<sub>2</sub>) program, which is managed by the Arkansas Department of Transportation. So far this year, CTTP has instructed over 250 technicians in topics including Asphalt Pavement Maintenance, Stormwater Management, and "Guide for Traffic Signs, Markings, and Signals", which helps local agencies to ensure compliance with the latest updates to the Manual on Uniform Traffic Control Devices. Pavement management and preservation has continued to be a topic at the forefront of many agency conventions, and CTTP has launched new online tools to assist local agencies in choosing appropriate roadway treatments based on existing distresses, and network-level budget planning. More information about CTTP at <a href="https://www.cttp.org/ardot/t2">www.cttp.org/ardot/t2</a>.

### **OUTREACH**



MarTREC hosted 15 fifth and sixth grade girls in July 2018 at our GirlTREC summer camp on the University of Arkansas campus. The camp focused on hands-on activities related to transportation engineering from roads to rail to waterways and was designed to build courage and interest towards studying STEM fields and considering a career in the transportation industry. Our interactive programs were taught by faculty at the University of Arkansas' civil and industrial engineering departments and included activities in bridge construction, social media data during disaster response, traffic control systems, and lock and dam operations.

The Mississippi Transportation Institute (MSTI) aims at introducing a diverse group of motivated precollege students to the transportation industry. During the three-week residential program, students will participate in academic and enhancement activities designed to improve their skills in Science, Technology, Engineering, and Mathematics (STEM) and leadership. The program's prime sponsor is the Mississippi Department of Transportation, and MarTREC is a cosponsor.





The Gulf Coast Center for Evacuation and Transportation Resiliency hosted a session of hands-on activities for the LSU Recruiting into Engineering High-Ability Multicultural Students (REHAMS) summer camp on June 14, 2018 and the LSU Halliburton Xploration Camp Inspiring Tomorrow's Engineers (XCITE) summer camp on July 10, 2018. The REHAMS summer camp is offered every year to rising 11th and 12th grade students. The XCITE summer camp is also offered every year to rising 9th, 10th, and 11th grade female students. These summer camps provide an opportunity to explore,

create, and compete in a variety of engineering and college preparatory activities to encourage interest in a career in STEM. During the sessions, the students planned, designed and built a city using toothpicks and gummies. They also used paper roads to create a transportation system that provided accessibility and connectivity. To mimic the planning and design of real cities, the students were limited by design constraints, time, and resources. For example, students needed to design their cities around hypothetical lakes, rivers, wetlands, underground pipelines, street light poles, and trees. Their structures also needed to support the weight of a book without failing.

### **STUDENT ACHIEVEMENTS**

#### 2017 Jack Buffington Outstanding Student Poster Award



Kevin Hall, Maggie Langston, Christine Lozano, Jack Buffington, and Heather Nachtmann

Awarded to Maggie Langston and Christine Lozano for their poster on "Corrosion-Tolerant Pre-Stressed CFRP Fatigue Retrofits for Improved Waterway Lock Reliability." Langston and Lozano are civil engineering students under the supervision of Dr. Gary Prinz, assistant professor of civil engineering.

#### 2018 Arkansas Good Roads Scholarships




Scott Bennett, Kevin Weston, Melissa Boyd, D.B. Hill

Melissa Boyd and Kevin Weston were selected as 2018 Arkansas Good Roads scholarship recipients. The organization grants scholarships to outstanding civil engineering students in their junior or senior year. Recipients of the scholarship commit to work in the transportation field in Arkansas for a minimum of one year after graduation.

#### STUDENT ACHIEVEMENTS

For the past 25 years, the U.S. Department of Transportation has honored an outstanding student from each active University Transportation Center during the TRB Annual Meeting. Below are MarTREC's Students of the Year for 2017.

### MarTREC 2017 Outstanding Student of the Year (MAP 21) lan Butler-Severson, University of New Orleans



lan Butler-Severson received a Bachelor of Arts in Urban Studies from Hamline University. He spent a semester abroad at the University of Oslo, Norway studying Oslo's Transit Oriented Development planning strategies. In 2001, Ian accepted a job with the Minneapolis planning and design firm, Ingraham & Associates where he gained experience in site analysis, CAD, model building, construction documents, cost estimations, subdivision design and zoning. Ian has since graduated with a Master of Science in Transportation at the University of New Orleans (UNO). While at UNO, Butler-Severson conducted research under advisement of Dr. Bethany Stich in the areas of LNG policy, freight planning, and GIS.


## MarTREC 2017 Outstanding Student of the Year (FAST Act) Leslie Gillespie-Marthaler, Vanderbilt University




Leslie graduated from the United States Military Academy in 1994 with a B.S. in Environmental Engineering and served for five years as an active duty Army officer. She received a M.S. in Civil Engineering from the Georgia Institute of Technology in 2002 and a Professional Degree in Engineering Management from George Washington University in 2011. She worked as a Federal employee for the U.S. Army and Environmental Protection Agency (EPA) and served two details to the White House at the Council on Environmental Quality (CEQ/OFEE) and the Office of Management and Budget (OMB). She is currently a Ph.D. student at Vanderbilt University, earning a degree in Environmental Engineering, under the direction of Dr. Mark Abkowitz. Her research is focused on community resilience.

#### STUDENT ACHIEVEMENTS

The U.S. Department of Transportation Federal Highway Administration Dwight David Eisenhower Transportation Fellowship Program (DDETFP) awards fellowships to students pursuing degrees in transportation-related disciplines. This program advances the transportation workforce by helping to attract the nation's brightest minds to the field of transportation, encouraging future transportation professionals to seek advanced degrees, and helping to retain top talent in the U.S. transportation industry. Our student researchers who received 2018 DDETFP fellowships are shown below.



Maggie Langston, Casey Jones, Michael Deschenes, Sadie Smith, and Joseph Daniels
University of Arkansas



Ayanna A. Lynn,
Jackson State University



Ian Severson, University of New Orleans



Charles Doktycz, Vanderbilt University

### **DAN FLOWERS DISTINGUISHED LECTURE SERIES**



Regina Hopper and Bobby Hopper, Former Arkansas Highway Commission Director

November 9, 2017

Regina Hopper, J.D.
Senior Vice President of Global
Public Policy
GRIDSMART Technologies, Inc.
U of A graduate B.A. '81, J.D. '85

Lecture: Intelligent Next Generation Transportation: Integrated Mobility Through Connected and Automated Technologies



Melissa Tooley, Former Mack-Blackwell Director (1999-2006)

April 20, 2018

Melissa Tooley, Ph.D., P.E. Director of External Initiatives Texas A&M Transportation Institute U of A graduate B.S. '94, Ph.D. '97

Lecture: Preparing for Automated and Connected Vehicles



#### **2018 NSF CAREER AWARDEES**



Michelle Bernhardt-Barry, assistant professor of civil engineering, for her research to expand and improve the use of soil as a building material through fundamental transdisciplinary research and the application of innovative technologies. Her research is aimed at expanding the use of soil as a building material, which would help improve construction projects in remote places.

Bernhardt—Barry has served as PI/Co-PI on MarTREC projects; Rapid and Non-Destructive Assessment of Levees for Strength and Liquefaction Resistance, Predicting Soil Type from Non-destructive Geophysical Data using Bayesian Statistical Methods, and Using CSA Cement for Novel Waterway Repair Materials.



Gary Prinz, assistant professor of civil engineering, for his research into optimizing 3D-printed metal for use in structures. His research is aimed at understanding how 3D-printed metals behave in high-impact events like earthquakes or explosions.

Prinz has served as PI on two MarTREC projects; Corrosion-Tolerant Pre-Stressed CFRP Fatigue Retrofits for Improved Waterway Lock Reliability and Fatigue Crack Control in Waterway Lock Gate Pintle Locations Subjected to Multi-Modal Fracture.



Benjamin Runkle, assistant professor of biological and agricultural engineering, for his research into sustainable irrigation practices for rice production. His goal is to help growers use less water and produce less methane without sacrificing rice yields.

Runkle is a Co-PI on a new MarTREC project; Informing Post-Disaster Restoration through Modeling Interdependent Agriculture and Transportation Networks.



Kelly Sullivan, assistant professor of industrial engineering, for his research into survivable, maintainable and adaptable sensor networks. His research centers on making sensor networks more reliable.

Sullivan has been a PI or Co-PI on MarTREC projects; Efficient Dredging Strategies for Improving Transportation Infrastructure Resilience and Informing Post -Disaster Restoration through Modeling Interdependent Agriculture and Transportation Networks.

### **NEW MarTREC PROJECTS**

## Cuba, and the US Gulf Coast

Bethany Stich, Ph.D. University of New Orleans March 2018-February 2019

Since the passage of the National Environmental Pro- Clay at the Maritime and Multimodal Transportation tection Act in 1969, transportation planning became a Infrastructure in Mississippi complex, interdisciplinary challenge. In order to satis- Sadik Khan, Ph.D., P.E. fy the current regulations and public policies, the Jackson State University transportation planning process can no longer solely September 2018-August 2019 rely on the basics of engineering; it is now forced to find the way in a sea of data, values, and actors to- The existence of Yazoo clay soil in Mississippi frewards a comprehensive and integrated solution. As a quently causes pavement distress in multimodal consequence, not only the variety of data, but also transportation infrastructure. This study investigates the quality and vast amount of data to be processed the change in unsaturated vertical and horizontal perhas become one of the big issues for transportation meability and its effect on the maritime and multipractitioners. This project will provide an assessment modal infrastructures such as pavement subgrade's of the variety, quality, and quantity of transportation moisture variation. The analysis will help to improve data as it applies to transportation professionals' abil- the design of the undercut of the pavement, which is ity to make informed decisions and arrive at best critical to control the deformation and continuous practices and suitable transportation policy.

#### Developing and Applying a Methodology to Identify Flow Generation Influences between Vessel and **Truck Shipments**

Mario Monsreal, Ph.D. Jim Kruse, M.B.A. Texas A&M Transportation Institute December 2017-February 2019

Truck activity is logically connected to, and generated March 2018-September 2019 by, vessel activity at a port. In turn, vessel activity is generated by truck shipments. Although one might This study will build upon another related UTC project expect a 1-to-1 relation between the two types of that focuses on visualizing sea level rise impacts to shipments, that is unlikely the case. For instance, transportation infrastructure in South Florida and exmany maritime containers carry consolidated cargos tend this research to Waikiki, located in Honolulu, that have multiple (and different) final destinations. Hawaii and focus on the business and tourism indus-Furthermore, different truck capacities and regula- try community. Waikiki is facing major impacts from tions play a critical role in determining the actual rela- sea level rise, and transportation and community tion between these two shipment modes. A clearer planners will engage with stakeholders through and quantitative understanding of the relationship meetings to seek input and engagement on planning between vessel and truck shipments enables agencies for the future including impacts of sea level rise on and organizations to develop a system for managing streets, buildings and neighborhoods. trucks that maximizes efficiency for industry. The in-

Changing Trade and Transportation Patterns: NAFTA, formation from a Port Freeport case study will benefit public-sector and private-sector decision makers in activities such as investment planning, resource allocation, and operations management in general.

# **Effect of Permeability Variation of Expansive Yazoo**

deterioration of the highway/roadway pavement in many miles of maritime and multimodal transportation infrastructure in Mississippi.

#### **Engaging the Business and Tourism Industry in Visualizing Sea Level Rise Impacts to Transportation** Infrastructure in Waikiki, Hawaii

Brian Wolshon, Ph.D., P.E., PTOE John L. Renne, Ph.D., AICP Louisiana State University

## tion

Rick Coffman, Ph.D., P.E. University of Arkansas August 2018-August 2019

The goal of this education and workforce development project is to develop an educational/mentoring/ Interdependency of Port Clusters During Regional advising model to open doors to all students, regard- Disasters less of socio-economic background, who want to pur- Brian Wolshon, Ph.D., P.E., PTOE sue careers in fields related to maritime and multi- Scott Parr, Ph.D. modal transportation. The project will include visits to Louisiana State University the respective institutions and field trips/visits of the January 2018-August 2019 participants to local maritime navigation structures. The PI will collaborate with the teachers to develop External disruptions to a port may result from storms, with maritime, related applications.

## **Locations Subjected to Multi-Modal Fracture**

Gary Prinz, Ph.D., P.E. University of Arkansas August 2018-August 2020

tion infrastructure within the United States, having many economic, safety, and environmental benefits Informing Post-Disaster Restoration Through Modelover rail and highway transportation systems. Many ing Interdependent Agriculture and Transportation existing lock gates throughout the U.S. have reached **Networks** or exceeded their initial design life and require fre- Sarah Nurre, Ph.D. guent repairs to remain in service. This project seeks Kelly Sullivan, Ph.D. to improve lock gate reliability by identifying and de- Benjamin Runkle, Ph.D. veloping fracture mitigation strategies for multi-mode University of Arkansas fatigue issues that arise near key pintle locations.

#### **Green Technology Approach for Capturing Pollution Washed from Transportation Infrastructures**

Danuta Leszczynska, Ph.D. Jackson State University March 2018-July 2019

mize biochar's microscopic structures and to deter- ture supply chains more resilient.

Exposure to STEM: Diversity in Maritime Transporta- mine its adsorption capacities. The long-term spinoffs from proposed research are aimed toward (a) development of the new substance based on biochar that could be used for the emergency recovery of spills and (b) exploring possibilities of using biochar as an addictive to pervious concrete or asphalt.

classroom instruction modules that tie daily lesson such as Hurricane Mathew and Super Storm Sandy, as objectives with real world STEM and more specifically well as terrorism and oil/hazardous spill. The impact of a disruption on a port is a function of vulnerability of the port and the severity of the disruption. The re-Fatigue Crack Control in Waterway Lock Gate Pintle siliency of ports and inland waterways is critical for maintaining the flow of essential goods throughout the United States and is critical to national security and defense readiness (Sturgis, 2014). This research will show how port clusters rely upon each other during disruptive events to increase the overall resiliency Lock gates are an important part of the transporta- of waterborne commerce during disruptive events.

August 2018-August 2020

Agriculture supply chains are of utmost importance for the function of society and are inherently complex due to their interdependency with critical infrastructure systems including energy, water, and maritime and multimodal transportation. This complexity is increased due to the dependence on time-sensitive and The aim of this study is to produce and investigate a capital-intensive operations, uncertain natural events, carbon-based substance, namely biochar, as a new and volatile commodity markets as well as their posimaterial for the in-situ adsorption of pollutants car- tion within rural and low socioeconomic communiried by the stormwater runoff from the roads. A se-ties. This project will develop models that determine ries of lab-scale experiments will be designed to opti- how to effectively use transportation to make agricul-

#### Large Scale Evaluation of Erosion Resistance of **Biocementation against Bridge Scour and Roadway Shoulder Erosion**

Farshad Amini, Ph.D., P.E. Jackson State University March 2018-February 2019

mented geomaterials may provide previously unex- lines and trucks. plored opportunities as cost-effective and sustainable preserving materials for erosion mitigation.

#### **Learning from USACE Open Data for Locks**

Justin Chimka, Ph.D. University of Arkansas August 2018-August 2020

In August 2017, the U.S. Army Corps of Engineers The inland waterway transportation system of the data and Public Lock Unavailability.

#### **Liquefied Natural Gas Phase III: Export Competition** in a Well Supplied, Flow-Shifting Global Economy

Bethany Stich, Ph.D. University of New Orleans March 2018-February 2019

With trillions of cubic feet of shale reserves, the Unit-Water erosion causes a variety of infrastructure probe ed States' abundance of natural gas has prompted an lems such as bridge scour and roadway shoulder ero- increase in production of Liquefied Natural Gas (LNG) sion. Nearly two-third of bridge failures are related to as an export commodity. Furthermore, U.S. energy bridge scour. This project studies using Microbiologi- independence fueled by shale mining could potentialcally induced calcium carbonate precipitation(MICP) ly alter how the U.S. acts in the global market place. as an erosion countermeasure. MICP is a natural phe- This project analyzes anticipated growth and value of nomenon where calcite precipitation occurs as a con- LNG as a marine fuel and anzlyze the value of short sequence of microbial metabolic activity. The bioce- sea shipping as a transportation alternative to pipe-

#### **Modeling Dynamic Behavior of Navigable Inland Waterways**

Heather Nachtmann, Ph.D. Justin Chimka, Ph.D. University of Arkansas August 2018-June 2020

(USACE) began to enable unprecedented data access United States handles 11.7 billion tons of freight anby publishing its USACE Open Data for Navigation nually and connects the heartland of the United online. This project's objectives include the following: States with the rest of the world. The system is chal-1) Explore the new USACE Open Data for Locks, de- lenged with aging infrastructure and limited operascribe its relevant datasets, and inventory their con-tions and maintenance budgets which can cause tents, 2) Identify responses or variables of interest transportation delays and economic losses. This work across relevant datasets, and treat them to statistical utilizes our previously developed Maritime Transporanalysis which may suggest that datasets should be tation Simulator (MarTranS) which integrates agentdivided into more usable subsets, and 3) Diagnose based modeling, discrete-event simulation, and sysefficient statistical models of the usable subsets in tem dynamics to further explore the relationship beorder to make general statements about Corps Locks tween inland waterway transportation system components and regional economic impact factors.



Photo courtesy of TXDOT

#### Shipping Container Chassis in the US: The Legacy of Trade-Off Analytics for Infrastructure Preservation **Ocean Carriers**

Bethany Stich, Ph.D. University of New Orleans March 2018-February 2019

mately 60 percent of all world seaborne trade while that could be taught to civil engineers, industrial engigenerating approximately 12 trillion United States neers, and the maritime and multimodal infrastruc-(US) dollars in 2017, links trading partners between ture community on the use of trade-off analytics as a the water, rail, and air modes. The University of New tool to assist them in their infrastructure preservation Orleans Transportation Institute (UNOTI) is examining efforts. This course will also be packaged into a webithe issues surrounding the current state of interna- nar that could be delivered on-line for practicing protional chassis utilization in the United States. The in- fessionals and will be constructed so that it could be ternational chassis system in the U.S. is unique com-taught as a short course for working professionals or pared to global chassis utilization where the motor as a special topics graduate or undergraduate course. carriers, the freight customers, or off-site terminals provide chassis.

#### Towards Integrating Resilience into Everyday **Transportation Practices of Coastal and River Valley Communities**

Brian Wolshon Ph.D., P.E., PTOE Nelida Herrera, M.S.C.E., E.I.T. Louisiana State University August 2018-June 2019

research will leverage from new or existing low-cost waterway structures will be developed. technologies such as traffic simulation to help transportation agencies entities maximize their resilience practices within their budget constraints. It is also anticipated that this research will lead to future development of new or enhanced tools and methods that can be easily transferred to coastal and river valley communities.

Greg Parnell, Ph.D. Ed Pohl, Ph.D. University of Arkansas August 2018-August 2019

Containerized shipping, which accounts for approxi- The objective of this project is to develop a course

#### **Using CSA Cement for Novel Waterway Repair Materials**

Cameron Murray, Ph.D. Michelle Bernhardt, Ph.D., PE University of Arkansas August 2018-August 2020

Calcium Sulfoaluminate-Belite (CSA) cement is a rapid setting hydraulic cement capable of strengths exceeding 4 ksi in 2 hours or less. Due to its rapid hardening Coastal and river valley communities have become characteristics and lower shrinkage and creep comincreasingly vulnerable to sea level rise, hurricanes pared to typical portland cement, it is an ideal candiand other natural disasters. In many cases, these date as a repair material. The goal of this work is to events force the communities to evacuate in a rela- develop new mixtures utilizing CSA cement that can tively unpredictable way. Emergency evacuations re- be applied to waterway repairs. A grout mixture capaquire safe and effective mobilization of the public ble of setting up rapidly underwater and a soilfrom hazardous areas while facing uncertainty. This cement mixture that can rapidly stabilize slopes and



Photo courtesy of ARDOT

#### Utilizing Graceful Failure As An Opportunity for **Flood Mitigation Downstream to Protect Communities and Infrastructure**

Janey Camp, Ph.D., P.E. Craig Philip, Ph.D. Vanderbilt University May 2018-April 2019

tend to address needs for flood mitigation thus re- infrastructure and communities. ducing disaster response needs for the inland waterway navigation system and river valley communities.

## Visualizing Sea Level Rise Impacts in Transportation

Brian Wolshon, Ph.D., P.E., PTOE John L. Renne, Ph.D., AICP Louisiana State University January 2018-June 2019

Transportation planners regularly engage communi-In 2011, we observed how "graceful failure" through ties through public meetings to seek input and enplanned damages to the Birds Point Levee by the U.S. gagement on planning for the future including im-Army Corps of Engineers was enacted to alleviate expacts of sea level rise on streets and neighborhoods. treme flooding on the Mississippi River. This action, New media options allow for three-dimensional (3D) while flooding croplands as planned in the past, actu- imaging utilizing virtual and augmented reality. Such ally reduced flooding and damage to waterway infra- 3D visualizations are increasingly affordable and acstructure and communities downstream. The objec- cessible to display on glasses that connect to tive of this project is to identify areas presently pro-smartphones, such as Samsung Gear VR. This project tected by levees that could be utilized for floodwater will test and compare new technologies on individuattenuation and storage along inland waterway navi- als in community-meeting settings in South Florida to gation channels and associated tributaries to protect test if 3D technology helps residents better undercommunities and infrastructure downstream. We in- stand the impacts of sea level rise on transportation

### **ONGOING MarTREC PROJECTS**

#### **Development and Implementation of Sustainable Transportation Resilience Indicators**

Mark Abkowitz, Ph.D. Vanderbilt University June 2017-March 2019

tion infrastructure as well as sustainable practices, sition waterways in the context of multimodal transthe face of natural hazard events that could lead to both waterway land side components in order to ansustainable transportation resilience.

#### A Multimodal Network Approach to the Inland and **Coastal Waterway System**

Bruce Wang, Ph.D. Texas A&M University July 2017-November 2018

Much has been discussed about resilient transporta- The national marine highway initiative intends to pobut only recently have their interdependencies been portation system. Maintenance and capacity of each brought to light in terms of a community's ability to element of the waterway system has its implication develop sustainable (economic, social and environ- to the multimodal network. This project will develop mental) resource capacity necessary to be resilient in a multimodal freight network model that includes catastrophic consequences. In order to evaluate alyze the impact of waterway operations. The goal is whether a community has achieved an acceptable to enhance the entire network efficiency. Algorithms level of sustainable transportation resilience, it re- will be proposed. The model will accommodate dequires performance indicators that are both relevant lay/congestion and other network restraints. This and measurable. This project will establish a protocol research will build on earlier work of the PI that studand method for evaluating a community's level of ied the Ohio River network system and will focus on the network efficiency.

### **COMPLETED MarTREC PROJECTS**

#### **Multimodal Transport and TransLoad Facilities** in Arkansas

Justin R. Chimka, Ph.D. University of Arkansas July 2014-December 2014

Multimodal transport may require added transload compete and cooperate with trucking interests to road sign interpretation tasks among groups of economies by adding transload facilities.

#### **Identifying High-Risk Roadways for Infrastructure Investment Using Naturalistic Driving Data**

Brian Wolshon, Ph.D., P.E., PTOE Louisiana State University October 2013-June 2015

The state-of-the-practice for most municipal traffic July 2014-July 2015 agencies seeking to identify high-risk road segments fore even a single crash has occurred.

#### **Road Sign Recognition during Computer Testing** versus Driving Simulator Performance for Stroke and Stroke+Aphasia Groups

Neila J. Donovan, Ph.D. Louisiana State University July 2014-June 2015

facilities where freight is moved from truck to railcar Brain damage from stroke can affect physical mobilior vice versa. Greater than 550 short line and regional ty, sensorimotor, cognition, communication, visual railroads operating in 49 states account for almost perception, and visual processing which are all critical 30% of the U.S. rail network. These small businesses processes needed for driving. A recent study tested cost-efficiently connect local economies with the larg- healthy and poststroke older drivers assessed the efer Class I railroad system. With three Class I railroads fects of poststroke aphasia on driving. Results and 24 short lines in Arkansas, research finds the showed that aphasia significantly impacted accuracy state may be poised to ease state highway conges- and response time of road sign interpretation. As lantion, safeguard the environment, and support local guage and symbol complexity increased on road signs, the aphasia-affected drivers performed with less accuracy and required more time.

#### **Development of a Large-Scale Traffic Simulation** Model for Hurricane Evacuation of Mississippi **Coastal Region**

Feng Wang, Ph.D., P.E. **Jackson State University** 

has been to use prior crash history. Recently re- This study developed an optimization model to obtain searchers are developing predictive crash methods improved traffic flow assignment with a minimization based on "abnormal driving events." These include of the total travel cost in a localized no-notice evacuabrupt and atypical vehicle movements thought to be ation network. The following observations were indicative of crash avoidance maneuvers and/or near- made: (1) numerical results show that the implemencrashes. Statistical analyses revealed that clusters of tation of a gate control strategy could effectively dehigh magnitude jerk events while decelerating were crease the total travel cost and reduce the degree of significantly correlated to long-term crash rates at conflicts related to traffic movements and trip routes, these same locations. These significant and consistent (2) experimental results show that in a no-notice or relationships between jerks and crashes suggest that short notice evacuation, the number of nodes selectthese events can be used as surrogate measures of ed for a gating strategy may also impact the evacuasafety and as a way of predicting safety problems be-tion performance, and (3) traffic simulations of an evacuation scenario with a large scale network show that applying the gate control strategy could improve evacuation performance.

## **Kerr Arkansas River Navigation System**

Heather Nachtmann, Ph.D. University of Arkansas April 2014 - August 2015

of Transportation as a MarTREC match project, we plementation of policies. implemented a multiregional social accounting matrix framework to estimate the economic impacts of the Exploration of Novel Multifunctional Open Graded McClellan-Kerr Arkansas River Navigation System Friction Courses for In-situ Highway Runoff (MKARNS) activities on the study regions of AR, OK, Treatment KS, MO, TX, and the rest of the United States. Our Yadong Li, Ph.D., P.E. study considers economic impacts from 1) Hydropow- Lin Li, Ph.D., P.E. er Energy Generation, 2) USACE O&M Expenditures, Jackson State University 3) Private Sector Investment Expenditures, 4) Port July 2014-June 2016 Activities, 5) Shippers' Activities, 6) Transportation Cost Savings, and 7) Recreation Benefits. We com- Pollutants on roadways and parking lots can come related to the MKARNS.

#### LNG Bunkering for Marine Vessels at the Port of **New Orleans: Siting and Facility Components**

Bethany Stich, Ph.D. James R. Amdal University of New Orleans April 2014-January 2016

The team was approached by the Port of New Orleans in 2014 to develop an assessment of best practices regarding the construction of shore-side Liquefied Natural Gas (LNG) bunkering facilities and the overall feasibility of the LNG fueling facility. When this request was made, the maritime industry was expected to convert their fleets from diesel to LNG, due to fuel cost savings and in compliance with planned environmental regulations. However, when OPEC began dramatically decreasing the price of crude oil in the mid-2010s, these cost incentives ceased to exist, especially the economic factor. The best recommendation

Regional Economic Impact Study of the McClellan- that can be made from this research is for the Port of New Orleans to join with the International Chamber of Shipping in encouraging the International Maritime Organization (IMO) division of the United Nations to continue taking the lead in globally-applied emissions standards. Therefore the Port is best advised to ag-In this research, funded by the Arkansas Department gressively support an IMO-derived driven global im-

bined our analysis with a 2014 Oklahoma Department from various sources. Storm water runoffs from of Transportation study led by Dr. Dennis Robinson of roadways contain both organic and inorganic contam-University of Arkansas - Little Rock and found that the inants of which large portions are eventually contotal economic impacts of the MKARNS nationwide veyed to the nearby water bodies such as rivers and are \$8.5 billion in sales, \$4.3 billion in gross domestic lakes. Copper (Cu) and Zinc (Zn) have been identified product (GDP), and \$2.5 billion in labor income. In to be the major inorganic contaminants in roadway addition, 55,872 jobs are created due to the activities runoffs. The results of this study bring an important conclusion that not only can the pervious concrete pavement (PCP) bring traffic-related benefits but also environmental benefits because of its long-term removal capacities for Cu and Zn, which are the major heavy metal contaminants in roadway runoffs. The use of PCP in roadways and parking lots brings positive impacts for environmental protection.



Photo courtesy of the Port of New Orleans

#### In-Situ Monitoring and Assessment of Post Barge- National Inventory and Analysis of Transit Oriented Bridge Collision Damage for Minimizing Traffic Delay Development in Proximity to Coasts and Port and Detour

Wei Zheng, Ph.D., P.E. Jackson State University July 2014-June 2016

Piers of bridges across major navigation waterways There is often a tension between the development of frequently suffer from barge collisions, resulting in mixed-use transit oriented developments and heavy the closure of both bridges and waterways to traffic industry near coastal areas and major rivers and near for assessing the potential damage. This project de-port facilities. This study quantified and examined the veloped an efficient in-situ monitoring and data pro- number of jobs and residents in station areas near cessing scheme for assisting bridge professionals to coastal areas, major rivers and near port facilities reliably assess the barge-bridge collision damage and across the U.S. and forecasts future development and make prompt and informative decision on the opera- job potential of underbuilt station areas, which could tion the bridge and navigation waterways. Once a become TODs over the next several decades. barge-bridge collision event happens, field dynamic measurements can be collected from the collided Optimal Dredge Fleet Scheduling within bridge structure with the sensor network. The best Environmental Work Windows feature vectors were extracted and input into the Chase Rainwater, Ph.D. best classification models of each of the trained clas- Heather Nachtmann, Ph.D. sifiers. With the identified threshold of each classifier, University of Arkansas the prediction probability of the damage locating in August 2014-August 2016 each of the sub-regions were determined.

#### **Economic Impacts of Lock Usage and Unavailability**

Justin R. Chimka, Ph.D. University of Arkansas August 2014-June 2016

a linear model which is efficient and appropriate ac-tion, complex challenges can be modeled. cording to our definitions of those characteristics.

John L. Renne, Ph.D., AICP University of New Orleans October 2013-September 2017

The USACE annually dredges hundreds of navigation projects through its fleet of government dredges and individual contracts with private industry. This project examined the decision of allocating dredge resources to projects system-wide under necessary constraints including environmental restrictions concerning when Freight statistics should provide an objective baseline dredging can take place due to migration patterns of for transportation policy decisions, and national eco-turtles, birds, fish, and other wildlife, dredge equipnomic benefits of maritime transport necessitate im- ment resource availability, and varying equipment proving inland waterways infrastructure. The re-productivity rates that affect project completion search objective was to estimate annual tons locked times. We expanded optimization tools to allow for by commodity group and lock, as a function of lock multiple dredge resources to work on a single job. usage and unavailability (1993-2013). Usage data in- The impact of the implementations are measured cludes average delay and processing time, barges quantitatively. Of equal importance is the impact on empty and loaded, flotillas and vessels, lockages, and the future of decision analysis within USACE. The percent vessels delayed. Unavailability data includes main impact of the project is that every concern prescheduled and unscheduled lock unavailabilities, and sented by USACE has now been addressed from a unavailable times. Twenty-two out of the 42 datasets modeling perspective. The decision makers underresulted in at least one useful subset where we could stand that optimization tools can be flexible and exemploy our alternative to stepwise regression to find tendable and, with the appropriate amount of atten-

Final project reports are located @ martrec.uark.edu/research/index.php

#### **Dynamic Decision Modeling for Inland Waterway Disruptions**

Shengfan Zhang, Ph.D. Heather Nachtmann, Ph.D. **University of Arkansas** August 2014-December 2016

sequences can be significant. We developed the Louisiana coastal parish. framework of the decision making process and devised the supporting tool for practitioner. It shows Evaluating Coastal and River Valley Communities the sequential procedure of decision making and ele- Evacuation Network Performance Using ments of each stage including specific techniques and Macroscopic Productivity tools applied. The decision making support tool was Scott Parr, Ph.D., E.I.T. It reads and manages data through Louisiana State University spreadsheets; calculates expected delivery cost; and May 2015-April 2017 gives several resources to support decision making.

#### **Efficient Dredging Strategies for Improving Transportation Infrastructure Resilience**

Kelly Sullivan, Ph.D. University of Arkansas August 2014-December 2016

budget to complete emergency projects.

#### **Vulnerability of Fuel Distribution Systems to Hazards in Coastal Communities**

John Pardue, Ph.D., P.E. Louisiana State University May 2015-December 2016

Coastal communities are vulnerable to disruptions in fuel availability for their transportation networks due to their susceptibility to flooding and storm surge

events. Fueling station design criteria do not change in coastal communities and supply chains rely on road networks that lack the redundancy present in more inland areas. This study examined fuel distribution disruptions from past storms and the time for restoration of fuel availability after coastal hazard events. We developed extensive network model of coastal There is much uncertainty associated with inland wa- Louisiana communities capturing roads, fueling staterway transportation. Natural or man-made disrup-tions, and bulk terminals. The combined fueling station on the inland waterway system can have wide- tion and road network constructed for this project is spread economic and societal impacts, and their con- the first spatial representation of this system for a

Coastal and river valley communities are particularly vulnerable to catastrophic events due to their proximity to large bodies of water. A robust and resilient transportation system is therefore imperative in these communities to mitigate the added risk of flash flooding, hurricanes, storm surge, and sea-level-rise. The findings demonstrate the application of a novel The viability of the inland marine transportation sys- performance and computational technique to assess tem is dependent upon highly random processes in- the operation of traffic networks, system-wide, indecluding weather, shoaling, and lock degradation. This pendent of their size or duration of analysis. This project, seeks to determine efficient uses of mainte- technique is ideal for evacuation planning and alternance dollars. Results demonstrate the tradeoff be- native comparison in megaregions. Emergency mantween investment in maintenance dredging and both agement and transportation decision-makers can use the network's overall capacity for transporting com- "trip completion" as a measure of evacuee deparmodities and risk associated with having insufficient tures out of a threat area. This permits a systematic and qualitative basis for assessing evacuee demand management to improve regional mass evacuations.



Photo courtesy of ARDOT

Final project reports are located @ martrec.uark.edu/research/index.php

#### Quantification of Multimodal Transportation Network Vulnerability: A Pilot Study in Mississippi

Himangshu Das, Ph.D., P.E. Jackson State University May 2016-April 2017

We developed a conceptual quantitative framework a high water event. and database identifying critical transportation infrastructure and its vulnerability to natural hazards using Innovative Bio-Mediated Particulate Materials for existing data and modeling while incorporating Sustainable Maritime Transportation Infrastructure downscaled climate scenario specific to the Mississip- Lin Li, Ph.D., P.E. pi Gulf Coast. It is recommended that the current in- Jackson State University ventory database should be supplemented with other November 2015-June 2017 critical transportation assets managed by state and database will be helpful to explore future vulnerabil- calcite precipitation (MICP) treated material was ity and sustainability of multimodal transportation weak at wet-dry durability and freeze-thaw durability. hazard conditions. Inventory of critical transportation sisting these two weather conditions possibly beinfrastructures that have already been developed cause of its irregular shaped particles. The use of fiber must be linked into a network algorithm. Response or multiple treatments during the MICP treatment and recovery of the disturbed networks were quanti- can provide resistance to the weathered deteriorafied through what-if scenarios.

#### **Rapid and Non-Destructive Assessment of Levees** for Strength and Liquefaction Resistance

Clinton Wood, Ph.D., P.E. Michelle Bernhardt, Ph.D., P.E. University of Arkansas January 2015-June 2017

This research developed a rapid, non-destructive geo- November 2015-July 2017 physical testing program and probabilistic framework estimate of the degree of saturation in conjunction degree of criticality.

with electrical resistivity offers the best estimate of soil type. The methods were shown to be capable of detecting many common defects in levees and earthen dams including the location of soft layers, old river meanders, inclusions or utilities, and internal erosion, any of which could lead to failure of the levee during

metropolitan planning organizations. This enhanced The results of this study show that microbial induced and infrastructure network under a wide variety of MICP-treated beach sand material was better at retions of MICP-treated soil. The MICP treatment is a cost-effective and in situ improvement of the engineering properties of sandy soils in coastal area for maritime transportation infrastructure construction.

#### Measurement of Traffic Network Vulnerability for Mississippi Coastal Region

Feng Wang, Ph.D., P.E. Jackson State University

that can be used to proactively evaluate lev- Hurricanes are one of the most catastrophic events ees. There is a clear correlation between resistivity resulting in severe consequences including loss of life and the degree of saturation and bulk density of a and property damage. This project studied the vulsoil. An increase in either parameter is associated nerability of the coastal transportation network. The with a decrease in electrical resistivity. The resistivity study shows that evacuees are more prone to taking values were found to be highly dependent on the de- flooding risks in selecting evacuation routes as they gree of saturation up to approximately 60%, at which are more sensitive to the travel time or cost on the point increasing saturation does not result in signifi- routes. The analysis of the evacuation network in cantly different resistivity values. When the soil is Mississippi coast area using the proposed method close to saturation, the effect of density or water suggests that links near the evacuation destinations quality on resistivity diminishes which makes the task tend to be more critical, and important traffic corriof identifying soil type easier. It was observed that an dors such as I-10 in the evacuation network has a high

#### Statistical Analysis of Vehicle Crashes in Mississippi Development of a Design Protocol: Based on Crash Data from 2010 to 2014

Feng Wang, Ph.D., P.E. Jackson State University November 2015-July 2017

The current traffic safety situation in Mississippi has been of great concern. The Mississippi Department of The maritime and multimodal system is an integral recorded over the period from May 2010 to February maritime and multimodal transportation infrastruccoastal areas are relatively high. The crash distribu- to stabilize shallow slope failures as a sustainable opcrash severity is not correlated with high population maintain multimodal transportation infrastructure. density in a metropolitan area.

#### **Optimal Dredge Fleet Scheduling - Phase 2 Research**

Chase Rainwater, Ph.D. Heather Nachtmann, Ph.D. University of Arkansas August 2016-August 2017

Oversight of dredging operations is a challenging problem because a decision-maker must (i) choose from numerous potential locations that are in need of dredging and (ii) schedule selected jobs within allowable environmental windows. In its simplest form, this series of decisions can be broken into two problems: (1) job selection problem and (2) job scheduling problem. Prior research projects supported by Mar-TREC, a dredge scheduling methodology has already been integrated into USACE computing systems. Previous work assumes that the decision-maker has been provided a preselected set of jobs for scheduling consideration. A quantitative system for comprehensive consideration of dredge job selection does not exist. The failure to integrate the selection and scheduling process suggests that opportunity exists for significant financial and operational benefits for transportation planners. This research has adapted new quantitative tools that address this need by leveraging the expertise developed in this area by the team of investigators

## Sustainable Stabilization of Slope using **Recycled Plastic Pins in Mississippi**

Mohammad Sadik Khan, Ph.D., P.E. Jackson State University May 2016-October 2017

Transportation crash dataset shows that more than part of the efficient movement of the nation's freight. 640,000 traffic crashes on Mississippi highways were Slopes and embankments are a major component of 2014. The analyses showed that the frequencies of ture, which are often subjected to shallow landslides vehicle crashes in a metropolitan area are relatively due to the existence of expansive clay soil. As a cost high and the severities of crashes in the rural and effective alternative, recycled plastic pins can be used tion in MDOT maintenance districts shows that high tion and increase the economic competitiveness to

#### **Effect of Swell-Shrink Characteristics on Landslides** in Yazoo Clay

Mohammad Sadik Khan, Ph.D., P.E. **Jackson State University** July 2017-June 2018

Expansive soils cover more than 25% of the total area of the United States and are responsible for premature shallow slope failure of highway fill slopes, levee, dam, and embankments. According to Federal Highway Administration, expansive soils are a significant problem in many parts of the United States and are responsible for the application of premature maintenance and rehabilitation activities on many miles of roadway and maritime infrastructures each year. Investigation of the failure mechanism identified the critical condition of the slope failure in Mississippi. The test results of the wet-dry cycles indicated the progressive changes of the shear strength and worstcase scenario of the slope failure.

#### Climate Impacts on Lock Use and Performance

Justin Chimka, Ph.D. University of Arkansas July 2016-August 2018

It is the policy of U.S. Army Corps of Engineers (USACE) to integrate climate change preparedness

Final project reports are located @ martrec.uark.edu/research/index.php

the purpose of enhancing the resilience of our built maintain efficient connections to those ports via ICs. and natural water-resource infrastructure (USACE Cli- To close the data gap, this work developed a proof-of mate Preparedness and Resilience Policy Statement concept Lidar sensor bundle, capable of identifying 2014). Inland waterways may experience greater the industry served by trucks traveling on a network floods due to changing land-use patterns and precipilink. By coupling a sensor capable of providing truck tation, drought can lower vessel drafts, and less ice classification with truck movement data derived from on navigable waterways could increase seasonal win- truck GPS it is possible to fully characterize the usage dows for passage. The objective of this work was to and performance of ICs and inland waterway ports. integrate resilience planning and climate change preparedness for water-resource infrastructure.

#### **Corrosion-Tolerant Pre-Stressed CFRP Fatigue Retrofits for Improved Waterway Lock Reliability**

Gary Prinz, Ph.D., P.E. Clint Wood, Ph.D., P.E. University of Arkansas July 2016-August 2018

This study analytically and experimentally investigated fatigue damage within common lock gate geometries and developed fatigue mitigation strategies using tuned pre-stress levels to extend gate service-life. Detailed finite element analyses were used to identify critical lock gate fatigue regions and evaluate prestress effects on locally extending component fatigue life. Fatigue and fracture mechanics theories related to constant life diagrams were used to develop retrofit strategies for preventing fatigue cracking and fullscale experimental fatigue testing of a critical lock gate component was conducted to provide a baseline for evaluation of retrofit strategies. Retrofit strategies using carbon fiber reinforced polymer (CFRP) plates having optimized pre-stress levels were created and fatigue tested in laboratory conditions.

#### **Evaluating the Performance of Intermodal Connectors**

Sarah Hernandez, Ph.D. University of Arkansas August 2016-August 2018

The major data gap identified in this work is information on the temporal and spatial patterns of trucks accessing port areas stratified by commodity carried or industry served. Such information can help assess

and resilience planning and actions in all activities for the impact of inland waterway ports and the need to

#### **Supporting Secure and Resilient Inland Waterways**

Heather Nachtmann, Ph.D. Justin Chimka, Ph.D. University of Arkansas August 2014-July 2018

Inland waterways are a cost-effective and environmentally-friendly mode of freight transportation. Natural and man-made events can disrupt navigation and may halt barge traffic. Our research provides decision support during inland waterway disruption response to mitigate negative time and value loss impacts through development of a decomposition based sequential heuristic (DBSH). The DBSH integrates the Analytic Hierarchy Process and linear programming to prioritize cargo and allocate barges to terminals. We solve thirty-five scenarios based on real-world Upper Mississippi River barge traffic data and find that our DBSH has similar performance compared to a previous approach with drastically improved computational time.



Photo courtesy of the Port of New Orleans

Final project reports are located @ martrec.uark.edu/research/index.php

## **Phase Two**

Heather Nachtmann, Ph.D. Justin Chimka, Ph.D. University of Arkansas July 2017-August 2018

to obtain the minimum value loss and its solution additional investment to add capacity. structure. We observe that distributions of the simulation results are getting more and more spread out but the majority of the results are close to the minimum value loss for all instances with different sizes.

#### **Quantifying Resiliency of Maritime Transportation Systems**

Brian Wolshon, Ph.D., P.E., PTOE Louisiana State University October 2015-August 2018

This research leverages and adapts archival NAIS data for resilience analyses of coastal port operations following disruptive events. The results of the research show that an Automatic Identification System (AIS) is an excellent source of quantitative data on postdisaster measures of resiliency. The time-dependent performance models developed from these data show the cascading effects of disruptions and quantify the benefits gained by recovery efforts in a timeprogressive series. One of the more interesting findings is the manner in which the data show, in quantifiable terms, reductions in performance resulting from incremental, less-publicized disruptions.

#### Supporting Secure and Resilient Inland Waterways: Economic Impact of the Gulf Intracoastal Waterway on the States It Serves

Jim Kruse, M.B.A. Brianne Glover, J.D. Texas A&M Transportation Institute September 2017-August 2018

Expanding our previous research on deterministic in- This project examined the total economic impact of land waterway disruption response, we developed a the GIWW across all sectors shipping goods along the Monte Carlo-based simulation optimization approach waterway, in the states that it serves. Using IMPLAN, to handle uncertain parameters in the CPTAP model. this report estimated the economic impact of the Different scenarios of waterway transportation were GIWW to be \$61.5 billion annually. Of this, \$31.8 bilconsidered, and the barge speeds were generated lion was generated in Texas, \$23.1 billion in Louisiana, from real data to represent the random scenarios. \$4.5 billion in Mississippi, \$1.9 billion in Alabama, and Minimum value losses and corresponding solution \$0.2 billion in Florida. Furthermore, the GIWW supstructures can be obtained within a reasonable CPU ports 143,000 jobs and generates \$14.5 billion in latime for small and medium size instances in one pro- bor income annually, with the majority of this occurgramming run. An alternative approach with multiple ring in Texas and Louisiana. The GIWW complements programming runs is adopted for large size instance the highway system and rail network, requiring less




Photo courtesy of ARDOT

### **MarTREC STAFF**

Heather Nachtmann, Ph.D. University of Arkansas Director

Kevin D. Hall, Ph.D., P.E. University of Arkansas MBTC Executive Director

Amy M. Shell, M.S. University of Arkansas Center Coordinator

Bethany Stich, Ph.D.
University of New Orleans
Site Director

Robert Whalin, Ph.D., P.E. Jackson State University Site Director

Brian Wolshon, Ph.D., P.E., PTOE Louisiana State University Site Director

Craig Philip, Ph.D. Vanderbilt University Site Director

Bruce Wang, Ph.D.
Texas A&M University
Site Director

### **CONTACT INFO**

4190 Bell Engineering Center University of Arkansas Fayetteville, Arkansas 72701

Phone: 479.575.6021 Email: martrec@uark.edu















Cover photo by TXDOT